

Patient ID SA00141845	Patient Name TESTNGRNV, REPORTS ABE	Birth Date 1979-05-30	Gender F	Age 41
Order Number SA00141845	Client Order Number SA00141845	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 27 Jan 2021 08:00		

SARS-CoV-2 Spike Ab, Semi-Quant, S

SARS-CoV-2 Spike Ab, Interp, S


Positive

Abn

Antibodies to the SARS-CoV-2 spike glycoprotein detected. These results suggest recent or prior SARS-CoV-2 infection and/or vaccination. No minimum antibody level or threshold has been established to indicate long-term protective immunity against re-infection. Correlation with epidemiologic risk factors and other clinical and laboratory findings is recommended. Serologic results should not be used to diagnose recent SARS-CoV-2 infection. False-positive results for IgG antibodies may occur due to cross-reactivity from pre-existing antibodies or other possible causes.

SDL

 Reference Value
Negative

SARS-CoV-2 Spike Ab, Quant, S


25 U/mL

High

SDL

 Reference Value
<0.80

ADDITIONAL INFORMATION

Testing was performed using the Roche Elecsys Anti-SARS-CoV-2 S Reagent assay from Roche Diagnostics, which has received Emergency Use Authorization (EUA) by the U.S. Food and Drug Administration.

Fact sheets for this Emergency Use Authorization (EUA) assay can be found at the following links:

For Healthcare Providers:

<https://www.fda.gov/media/144035/download>

For Patients:

<https://www.fda.gov/media/144036/download>

Patient's Race

White

SDL

Patient's Ethnicity

Not Hispanic or Latino

SDL

Received: 28 Jan 2021 13:37

Reported: 28 Jan 2021 13:37

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592